



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

MICHAEL R. STYLER
Executive Director

JOHN R. BAZA
Division Director

Inspection Report

Minerals Regulatory Program

February 22, 2006

Supervisor 

Mine Name: Red Dome

Operator Name:

Dexter Anderson

730 North 3900 West

Fillmore, Utah 84631

Inspector(s): Daron Haddock, Tom Munson

Other Participants: Dexter Anderson and Lee Miller

Mine Status: Active

Permit number: M/027/032

Inspection Date: February 22, 2006

Time: 11:00AM-1:00PM

Weather: Sunny

Elements of Inspection	Evaluated	Comment	Enforcement
1. Permits, Revisions, Transfer, Bonds	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2. Public Safety (shafts, adits, trash, signs, highwalls)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Protection of Drainages / Erosion Control	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Deleterious Material	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Roads (maintenance, surfacing, dust control, safety)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6. Concurrent Reclamation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Backfilling/Grading (trenches, pits, roads, highwalls, shafts, drill holes)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Water Impoundments	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Soils	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Revegetation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Air Quality	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12. Other	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Purpose of Inspection:

To determine if the site was active and if the operator had obtained the \$150,000 surety as requested.

Directions to Site:

The site is approximately 5 miles west of Fillmore.

Inspection Summary:

We arrive onsite to observe a truck load of large boulder size volcanic material being trucked from the mine, weighed, and leave the site. We meet Mr. Miller who called Mr. Anderson, who arrived shortly. We explained why the inspection was being conducted and asked if the bond was available yet. Mr. Anderson explained that Mr. Gordon Griffith was looking into the bond, but as of yet had not gotten it. We explained that we would leave the Cessation Order since the site was not properly bonded. We then issued cessation Order MC 2006-04-02. Mr. Anderson refused to sign the form and handed it to Mr. Miller who accepted it.

The roads were somewhat snow covered and there was no dust or maintenance problems noted.

Conclusions and Recommendations:

We suggested that they decide if they want a stop work conference related to the cessation order. We informed them that this cessation order does not allow them to mine or remove material, but that maintenance was acceptable. They felt they deserve a variance to highwall reclamation, reseeding, or

Inspection Date: February 22, 2006; Report Date: February 23, 2006
Page 2 of 2
S/027/032

any sort of topsoil amendments. We made no comment about this, as it was not the time and place to do this and determinations had already been made on this already.

Inspector's Signature




Date: February 23, 2006

tm:pb

cc: Operator
BLM, Fillmore

Attachment: Photos

O:\M027-Millard\M0270032-RedDome\draft\insp02222006.doc



DSCN1140.JPG 2006/02/22 10:52:49

PRODUCT LEAVING THE SITE



DSCN1141.JPG 2006/02/22 13:06:23

PHOTO FROM SCALE HOUSE